

Drifting & tunneling

R25 (1")
Thread


Drifting & tunneling

Button bit


	Dimensions D		Flushing hole (mm)		Buttons (mm)		Angle	Class	Part no.
	mm	in	Front No size	Gauge No size	Front No size	Gauge No size			
	33	1 5/16	1×5	1×5	2×7	5×7	30°	H	3033R2507
	35	1 3/8	1×5	1×5	2×7	5×8	30°	H	3035R2507
	38	1 1/2	1×5	2×5	2×7	5×9	30°	H	3038R2507
	41	1 5/8	1×5	2×5	2×8	5×9	30°	H	3041R2507
	43	1 11/16	1×5	2×5	2×8	5×10	30°	H	3043R2507
	45	1 3/4	1×5.5	2×5.5	2×9	5×11	30°	H	3045R2507
	33	1 5/16	2×4.5	2×4.5	2×7	6×7	30°	S	3033R2508
	41	1 5/8	2×5.5	2×5	2×8	6×9	30°	S	3041R2508
	38	1 1/2	2×5	2×5	2×8	6×8	30°	S	3038R25F08
	43	1 11/16	3×5	-	3×8	6×9	30°	M	3043R2509
	45	1 3/4	3×5	1×5	3×8	6×10	30°	M	3045R2509

Reaming tools

Pilot bit 6° taper


	40	1 37/64	2×5	2×5.5	2×8	4×9	30°	-	3040R2506KP
--	----	---------	-----	-------	-----	-----	-----	---	-------------

Reaming bit 6° taper

	76	3	-	-	-	8×11	35°	-	3076R2508KR
---	----	---	---	---	---	------	-----	---	-------------

R25 (1") Thread

Drill rod



Shank rod with hex 22 * 108 with thread R25



mm	Dimensions L		Dimensions D		Part no.
	ft	in	mm	in	
250	-	10	22	7/8	1022R2502
1500	4	11	22	7/8	1022R2515
2400	7	10	22	7/8	1022R2524
3200	10	6	22	7/8	1022R2532
4000	13	1	22	7/8	1022R2540

Shank rod with hex 25 * 108 with thread R25



250	-	10	25	1	1025R2502
1500	4	11	25	1	1025R2515
2400	7	10	25	1	1025R2524
3200	10	6	25	1	1025R2532

Hex rod 25 with threads R25/R25



2200	7	2	25	1	2125R2522
2475	8	2	25	1	2125R2524
2600	8	6	25	1	2125R2526
2800	9	2	25	1	2125R2528
3100	10	2	25	1	2125R2531

Hex rod 25 with threads R25/R25 (MF)



1525	5	-	25	1	2125R25MF15
1830	6	-	25	1	2125R25MF18

Coupling

R25-R25



L (mm)	Dimensions D		Part no.
	mm	in	
140	34	1 11/32	MX-R253414

Crossover coupling R25-R32



175	45	1 3/4	MX-R25R324517
-----	----	-------	---------------

"Globe Drilling Industry Experts"

No matter what kinds of soft rock, loose-medium rock, hard rock and any other special formations, just tell us what you need, our special tailored service is waiting for you upon you demand.



KEMAICO USA CORPORATION

Add: 300 Knightsbridge Pkwy Ste. 113 Lincolnshire, IL 60069

Tel: 1-847-9136878

Fax: 1-847-9136879

Email: office@kemaico.us

info@kemaico.us

Web: www.kemaico.us