







Drifting & tunneling

R28 (1 1/8")
Thread

Drifting & tunneling

Button bit		Dimensions D		Flushing hole (mm)		Buttons (mm)		Angle	Class	Part no.
		mm	in	Front No size	Gauge No size	Front No size	Gauge No size			
	38	1 1/2	1×5	2×5	2×7	5×9	30°	H	3038R2807	
	41	1 5/8	1×5	2×5	2×8	5×9	30°	H	3041R2807	
	43	1 11/16	1×5	2×5	2×8	5×10	30°	H	3043R2807	
	45	1 3/4	1×5	2×5	2×9	5×11	30°	H	3045R2807	
	41	1 5/8	2×5.5	2×5	2×8	6×9	30°	S	3041R2808	
	43	1 11/16	3×5	–	3×8	6×9	30°	M	3043R2809	
	45	1 3/4	3×5	1×5	3×8	6×10	30°	M	3045R2809	
Reaming tools										
Pilot bit 6° taper										
40	1 37/64	2×5	2×5.5	2×8	4×9	30°	–	3040R2806KP		
Reaming bit 6° taper										
76	3	–	–	–	8×11	35°	–	3076R2808KR		
Dome bit										
76	3	2×9	2×7	1×11	14×11	35°	–	3076R2815KD		

R28 (1 1/8") Thread

Drill rod



Hex rod 28 with threads R28/R32



Dimensions L			Dimensions D		Part no.
mm	ft	in	mm	in	
2800	9	2	28	1 1/8	2128R32R2828
3100	10	2	28	1 1/8	2128R32R2831
3700	12	2	28	1 1/8	2128R32R2837

Hex rod 32 with threads R28/R32



4310	14	2	32	1 1/4	2132R32R2843
------	----	---	----	-------	--------------

Coupling

R28-R28



L (mm)	Dimensions D		Part no.
	mm	in	
160	37	1 29/64	MX-R283716

Crossover coupling R28-R32



171	45	1 3/4	MX-R28R324517
-----	----	-------	---------------

Drifting
& tunneling

"Globe Drilling Industry Experts"

No matter what kinds of soft rock, loose-medium rock, hard rock and any other special formations, just tell us what you need, our special tailored service is waiting for you upon your demand.



KEMAICO USA CORPORATION

Add: 300 Knightsbridge Pkwy Ste. 113 Lincolnshire, IL 60069

Tel: 1-847-9136878

Fax: 1-847-9136879

Email: office@kemaico.us

info@kemaico.us

Web: www.kemaico.us